

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|--------------|--------------------|--------------|
| 1 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 101 | GROUND FLOOR | 83.38 | S+19th Floor |
| 2 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 102 | GROUND FLOOR | 83.38 | S+19th Floor |
| 3 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 103 | GROUND FLOOR | 83.38 | S+19th Floor |
| 4 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 104 | GROUND FLOOR | 83.38 | S+19th Floor |
| 5 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 105 | GROUND FLOOR | 83.38 | S+19th Floor |
| 6 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 106 | GROUND FLOOR | 83.38 | S+19th Floor |
| 7 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 107 | GROUND FLOOR | 83.38 | S+19th Floor |
| 8 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 108 | GROUND FLOOR | 83.38 | S+19th Floor |
| 9 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 201 | 1st FLOOR | 83.38 | S+19th Floor |
| 10 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 202 | 1st FLOOR | 83.38 | S+19th Floor |
| 11 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 203 | 1st FLOOR | 83.38 | S+19th Floor |
| 12 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 204 | 1st FLOOR | 83.38 | S+19th Floor |
| 13 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 205 | 1st FLOOR | 83.38 | S+19th Floor |
| 14 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 206 | 1st FLOOR | 83.38 | S+19th Floor |
| 15 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 207 | 1st FLOOR | 83.38 | S+19th Floor |
| 16 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 208 | 1st FLOOR | 83.38 | S+19th Floor |
| 17 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 301 | 2nd FLOOR | 83.38 | S+19th Floor |
| 18 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 302 | 2nd FLOOR | 83.38 | S+19th Floor |
| 19 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 303 | 2nd FLOOR | 83.38 | S+19th Floor |
| 20 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 304 | 2nd FLOOR | 83.38 | S+19th Floor |
| 21 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 305 | 2nd FLOOR | 83.38 | S+19th Floor |
| 22 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 306 | 2nd FLOOR | 83.38 | S+19th Floor |
| 23 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 307 | 2nd FLOOR | 83.38 | S+19th Floor |
| 24 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 308 | 2nd FLOOR | 83.38 | S+19th Floor |
| 25 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 401 | 3rd FLOOR | 83.38 | S+19th Floor |
| 26 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 402 | 3rd FLOOR | 83.38 | S+19th Floor |
| 27 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 403 | 3rd FLOOR | 83.38 | S+19th Floor |
| 28 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 404 | 3rd FLOOR | 83.38 | S+19th Floor |
| 29 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 405 | 3rd FLOOR | 83.38 | S+19th Floor |
| 30 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 406 | 3rd FLOOR | 83.38 | S+19th Floor |
| 31 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 407 | 3rd FLOOR | 83.38 | S+19th Floor |
| 32 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 408 | 3rd FLOOR | 83.38 | S+19th Floor |
| 33 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 501 | 4th FLOOR | 83.38 | S+19th Floor |
| 34 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 502 | 4th FLOOR | 83.38 | S+19th Floor |
| 35 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 503 | 4th FLOOR | 83.38 | S+19th Floor |
| 36 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 504 | 4th FLOOR | 83.38 | S+19th Floor |
| 37 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 505 | 4th FLOOR | 83.38 | S+19th Floor |
| 38 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 506 | 4th FLOOR | 83.38 | S+19th Floor |
| 39 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 507 | 4th FLOOR | 83.38 | S+19th Floor |
| 40 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 508 | 4th FLOOR | 83.38 | S+19th Floor |
| 41 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 601 | 5th FLOOR | 83.38 | S+19th Floor |
| 42 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 602 | 5th FLOOR | 83.38 | S+19th Floor |
| 43 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 603 | 5th FLOOR | 83.38 | S+19th Floor |
| 44 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 604 | 5th FLOOR | 83.38 | S+19th Floor |
| 45 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 605 | 5th FLOOR | 83.38 | S+19th Floor |
| 46 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 606 | 5th FLOOR | 83.38 | S+19th Floor |
| 47 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 607 | 5th FLOOR | 83.38 | S+19th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 57 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 801 | 7th FLOOR | 83.38 | S+19th Floor |
| 58 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 802 | 7th FLOOR | 83.38 | S+19th Floor |
| 59 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 803 | 7th FLOOR | 83.38 | S+19th Floor |
| 60 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 804 | 7th FLOOR | 83.38 | S+19th Floor |
| 61 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 805 | 7th FLOOR | 83.38 | S+19th Floor |
| 62 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 806 | 7th FLOOR | 83.38 | S+19th Floor |
| 63 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 807 | 7th FLOOR | 83.38 | S+19th Floor |
| 64 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 808 | 7th FLOOR | 83.38 | S+19th Floor |
| 65 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 901 | 8th FLOOR | 83.38 | S+19th Floor |
| 66 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 902 | 8th FLOOR | 83.38 | S+19th Floor |
| 67 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 903 | 8th FLOOR | 83.38 | S+19th Floor |
| 68 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 904 | 8th FLOOR | 83.38 | S+19th Floor |
| 69 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 905 | 8th FLOOR | 83.38 | S+19th Floor |
| 70 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 906 | 8th FLOOR | 83.38 | S+19th Floor |
| 71 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 907 | 8th FLOOR | 83.38 | S+19th Floor |
| 72 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 908 | 8th FLOOR | 83.38 | S+19th Floor |
| 73 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1001 | 9th FLOOR | 83.38 | S+19th Floor |
| 74 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1002 | 9th FLOOR | 83.38 | S+19th Floor |
| 75 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1003 | 9th FLOOR | 83.38 | S+19th Floor |
| 76 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1004 | 9th FLOOR | 83.38 | S+19th Floor |
| 77 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1005 | 9th FLOOR | 83.38 | S+19th Floor |
| 78 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1006 | 9th FLOOR | 83.38 | S+19th Floor |
| 79 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1007 | 9th FLOOR | 83.38 | S+19th Floor |
| 80 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1008 | 9th FLOOR | 83.38 | S+19th Floor |
| 81 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1101 | 10th FLOOR | 83.38 | S+19th Floor |
| 82 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1102 | 10th FLOOR | 83.38 | S+19th Floor |
| 83 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1103 | 10th FLOOR | 83.38 | S+19th Floor |
| 84 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1104 | 10th FLOOR | 83.38 | S+19th Floor |
| 85 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1105 | 10th FLOOR | 83.38 | S+19th Floor |
| 86 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1106 | 10th FLOOR | 83.38 | S+19th Floor |
| 87 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1107 | 10th FLOOR | 83.38 | S+19th Floor |
| 88 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1108 | 10th FLOOR | 83.38 | S+19th Floor |
| 89 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1201 | 11th FLOOR | 83.38 | S+19th Floor |
| 90 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1202 | 11th FLOOR | 83.38 | S+19th Floor |
| 91 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1203 | 11th FLOOR | 83.38 | S+19th Floor |
| 92 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1204 | 11th FLOOR | 83.38 | S+19th Floor |
| 93 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1205 | 11th FLOOR | 83.38 | S+19th Floor |
| 94 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1206 | 11th FLOOR | 83.38 | S+19th Floor |
| 95 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1207 | 11th FLOOR | 83.38 | S+19th Floor |
| 96 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1208 | 11th FLOOR | 83.38 | S+19th Floor |
| 97 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1301 | 12th FLOOR | 83.38 | S+19th Floor |
| 98 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1302 | 12th FLOOR | 83.38 | S+19th Floor |
| 99 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1303 | 12th FLOOR | 83.38 | S+19th Floor |
| 100 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1304 | 12th FLOOR | 83.38 | S+19th Floor |
| 101 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1305 | 12th FLOOR | 83.38 | S+19th Floor |
| 102 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1306 | 12th FLOOR | 83.38 | S+19th Floor |
| 103 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1307 | 12th FLOOR | 83.38 | S+19th Floor |
| 104 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1308 | 12th FLOOR | 83.38 | S+19th Floor |
| 105 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1401 | 13th FLOOR | 83.38 | S+19th Floor |
| 106 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1402 | 13th FLOOR | 83.38 | S+19th Floor |
| 107 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1403 | 13th FLOOR | 83.38 | S+19th Floor |
| 108 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1404 | 13th FLOOR | 83.38 | S+19th Floor |
| 109 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1405 | 13th FLOOR | 83.38 | S+19th Floor |
| 110 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1406 | 13th FLOOR | 83.38 | S+19th Floor |
| 111 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1407 | 13th FLOOR | 83.38 | S+19th Floor |
| 112 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1408 | 13th FLOOR | 83.38 | S+19th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|--------------|--------------------|--------------|
| 113 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1501 | 14th FLOOR | 83.38 | S+19th Floor |
| 114 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1502 | 14th FLOOR | 83.38 | S+19th Floor |
| 115 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1503 | 14th FLOOR | 83.38 | S+19th Floor |
| 116 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1504 | 14th FLOOR | 83.38 | S+19th Floor |
| 117 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1505 | 14th FLOOR | 83.38 | S+19th Floor |
| 118 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1506 | 14th FLOOR | 83.38 | S+19th Floor |
| 119 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1507 | 14th FLOOR | 83.38 | S+19th Floor |
| 120 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1508 | 14th FLOOR | 83.38 | S+19th Floor |
| 121 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1601 | 15th FLOOR | 83.38 | S+19th Floor |
| 122 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1602 | 15th FLOOR | 83.38 | S+19th Floor |
| 123 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1603 | 15th FLOOR | 83.38 | S+19th Floor |
| 124 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1604 | 15th FLOOR | 83.38 | S+19th Floor |
| 125 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1605 | 15th FLOOR | 83.38 | S+19th Floor |
| 126 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1606 | 15th FLOOR | 83.38 | S+19th Floor |
| 127 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1607 | 15th FLOOR | 83.38 | S+19th Floor |
| 128 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1608 | 15th FLOOR | 83.38 | S+19th Floor |
| 129 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1701 | 16th FLOOR | 83.38 | S+19th Floor |
| 130 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1702 | 16th FLOOR | 83.38 | S+19th Floor |
| 131 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1703 | 16th FLOOR | 83.38 | S+19th Floor |
| 132 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1704 | 16th FLOOR | 83.38 | S+19th Floor |
| 133 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1705 | 16th FLOOR | 83.38 | S+19th Floor |
| 134 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1706 | 16th FLOOR | 83.38 | S+19th Floor |
| 135 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1707 | 16th FLOOR | 83.38 | S+19th Floor |
| 136 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1708 | 16th FLOOR | 83.38 | S+19th Floor |
| 137 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1801 | 17th FLOOR | 83.38 | S+19th Floor |
| 138 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1802 | 17th FLOOR | 83.38 | S+19th Floor |
| 139 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1803 | 17th FLOOR | 83.38 | S+19th Floor |
| 140 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1804 | 17th FLOOR | 83.38 | S+19th Floor |
| 141 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1805 | 17th FLOOR | 83.38 | S+19th Floor |
| 142 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1806 | 17th FLOOR | 83.38 | S+19th Floor |
| 143 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1807 | 17th FLOOR | 83.38 | S+19th Floor |
| 144 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1808 | 17th FLOOR | 83.38 | S+19th Floor |
| 145 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1901 | 18th FLOOR | 83.38 | S+19th Floor |
| 146 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1902 | 18th FLOOR | 83.38 | S+19th Floor |
| 147 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1903 | 18th FLOOR | 83.38 | S+19th Floor |
| 148 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1904 | 18th FLOOR | 83.38 | S+19th Floor |
| 149 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1905 | 18th FLOOR | 83.38 | S+19th Floor |
| 150 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1906 | 18th FLOOR | 83.38 | S+19th Floor |
| 151 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1907 | 18th FLOOR | 83.38 | S+19th Floor |
| 152 | BHS17/LOF02 | GH-03A | OMICRON-01 | G | 1908 | 18th FLOOR | 83.38 | S+19th Floor |
| 153 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 103 | GROUND FLOOR | 83.38 | S+19th Floor |
| 154 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 104 | GROUND FLOOR | 83.38 | S+19th Floor |
| 155 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 105 | GROUND FLOOR | 83.38 | S+19th Floor |
| 156 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 106 | GROUND FLOOR | 83.38 | S+19th Floor |
| 157 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 107 | GROUND FLOOR | 83.38 | S+19th Floor |
| 158 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 108 | GROUND FLOOR | 83.38 | S+19th Floor |
| 159 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 203 | 1st FLOOR | 83.38 | S+19th Floor |
| 160 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 204 | 1st FLOOR | 83.38 | S+19th Floor |
| 161 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 205 | 1st FLOOR | 83.38 | S+19th Floor |
| 162 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 206 | 1st FLOOR | 83.38 | S+19th Floor |
| 163 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 207 | 1st FLOOR | 83.38 | S+19th Floor |
| 164 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 208 | 1st FLOOR | 83.38 | S+19th Floor |
| 165 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 303 | 2nd FLOOR | 83.38 | S+19th Floor |
| 166 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 304 | 2nd FLOOR | 83.38 | S+19th Floor |
| 167 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 305 | 2nd FLOOR | 83.38 | S+19th Floor |
| 168 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 306 | 2nd FLOOR | 83.38 | S+19th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 169 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 307 | 2nd FLOOR | 83.38 | S+19th Floor |
| 170 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 308 | 2nd FLOOR | 83.38 | S+19th Floor |
| 171 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 403 | 3rd FLOOR | 83.38 | S+19th Floor |
| 172 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 404 | 3rd FLOOR | 83.38 | S+19th Floor |
| 173 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 405 | 3rd FLOOR | 83.38 | S+19th Floor |
| 174 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 406 | 3rd FLOOR | 83.38 | S+19th Floor |
| 175 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 407 | 3rd FLOOR | 83.38 | S+19th Floor |
| 176 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 408 | 3rd FLOOR | 83.38 | S+19th Floor |
| 177 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 503 | 4th FLOOR | 83.38 | S+19th Floor |
| 178 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 504 | 4th FLOOR | 83.38 | S+19th Floor |
| 179 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 505 | 4th FLOOR | 83.38 | S+19th Floor |
| 180 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 506 | 4th FLOOR | 83.38 | S+19th Floor |
| 181 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 507 | 4th FLOOR | 83.38 | S+19th Floor |
| 182 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 508 | 4th FLOOR | 83.38 | S+19th Floor |
| 183 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 603 | 5th FLOOR | 83.38 | S+19th Floor |
| 184 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 604 | 5th FLOOR | 83.38 | S+19th Floor |
| 185 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 605 | 5th FLOOR | 83.38 | S+19th Floor |
| 186 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 606 | 5th FLOOR | 83.38 | S+19th Floor |
| 187 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 607 | 5th FLOOR | 83.38 | S+19th Floor |
| 188 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 608 | 5th FLOOR | 83.38 | S+19th Floor |
| 189 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 703 | 6th FLOOR | 83.38 | S+19th Floor |
| 190 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 704 | 6th FLOOR | 83.38 | S+19th Floor |
| 191 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 705 | 6th FLOOR | 83.38 | S+19th Floor |
| 192 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 706 | 6th FLOOR | 83.38 | S+19th Floor |
| 193 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 707 | 6th FLOOR | 83.38 | S+19th Floor |
| 194 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 708 | 6th FLOOR | 83.38 | S+19th Floor |
| 195 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 803 | 7th FLOOR | 83.38 | S+19th Floor |
| 196 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 804 | 7th FLOOR | 83.38 | S+19th Floor |
| 197 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 805 | 7th FLOOR | 83.38 | S+19th Floor |
| 198 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 806 | 7th FLOOR | 83.38 | S+19th Floor |
| 199 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 807 | 7th FLOOR | 83.38 | S+19th Floor |
| 200 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 808 | 7th FLOOR | 83.38 | S+19th Floor |
| 201 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 903 | 8th FLOOR | 83.38 | S+19th Floor |
| 202 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 904 | 8th FLOOR | 83.38 | S+19th Floor |
| 203 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 905 | 8th FLOOR | 83.38 | S+19th Floor |
| 204 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 906 | 8th FLOOR | 83.38 | S+19th Floor |
| 205 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 907 | 8th FLOOR | 83.38 | S+19th Floor |
| 206 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 908 | 8th FLOOR | 83.38 | S+19th Floor |
| 207 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1003 | 9th FLOOR | 83.38 | S+19th Floor |
| 208 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1004 | 9th FLOOR | 83.38 | S+19th Floor |
| 209 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1005 | 9th FLOOR | 83.38 | S+19th Floor |
| 210 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1006 | 9th FLOOR | 83.38 | S+19th Floor |
| 211 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1007 | 9th FLOOR | 83.38 | S+19th Floor |
| 212 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1008 | 9th FLOOR | 83.38 | S+19th Floor |
| 213 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1103 | 10th FLOOR | 83.38 | S+19th Floor |
| 214 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1104 | 10th FLOOR | 83.38 | S+19th Floor |
| 215 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1105 | 10th FLOOR | 83.38 | S+19th Floor |
| 216 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1106 | 10th FLOOR | 83.38 | S+19th Floor |
| 217 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1107 | 10th FLOOR | 83.38 | S+19th Floor |
| 218 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1108 | 10th FLOOR | 83.38 | S+19th Floor |
| 219 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1203 | 11th FLOOR | 83.38 | S+19th Floor |
| 220 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1204 | 11th FLOOR | 83.38 | S+19th Floor |
| 221 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1205 | 11th FLOOR | 83.38 | S+19th Floor |
| 222 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1206 | 11th FLOOR | 83.38 | S+19th Floor |
| 223 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1207 | 11th FLOOR | 83.38 | S+19th Floor |
| 224 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1208 | 11th FLOOR | 83.38 | S+19th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|--------------|--------------------|--------------|
| 225 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1303 | 12th FLOOR | 83.38 | S+19th Floor |
| 226 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1304 | 12th FLOOR | 83.38 | S+19th Floor |
| 227 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1305 | 12th FLOOR | 83.38 | S+19th Floor |
| 228 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1306 | 12th FLOOR | 83.38 | S+19th Floor |
| 229 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1307 | 12th FLOOR | 83.38 | S+19th Floor |
| 230 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1308 | 12th FLOOR | 83.38 | S+19th Floor |
| 231 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1403 | 13th FLOOR | 83.38 | S+19th Floor |
| 232 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1404 | 13th FLOOR | 83.38 | S+19th Floor |
| 233 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1405 | 13th FLOOR | 83.38 | S+19th Floor |
| 234 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1406 | 13th FLOOR | 83.38 | S+19th Floor |
| 235 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1407 | 13th FLOOR | 83.38 | S+19th Floor |
| 236 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1408 | 13th FLOOR | 83.38 | S+19th Floor |
| 237 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1503 | 14th FLOOR | 83.38 | S+19th Floor |
| 238 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1504 | 14th FLOOR | 83.38 | S+19th Floor |
| 239 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1505 | 14th FLOOR | 83.38 | S+19th Floor |
| 240 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1506 | 14th FLOOR | 83.38 | S+19th Floor |
| 241 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1507 | 14th FLOOR | 83.38 | S+19th Floor |
| 242 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1508 | 14th FLOOR | 83.38 | S+19th Floor |
| 243 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1603 | 15th FLOOR | 83.38 | S+19th Floor |
| 244 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1604 | 15th FLOOR | 83.38 | S+19th Floor |
| 245 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1605 | 15th FLOOR | 83.38 | S+19th Floor |
| 246 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1606 | 15th FLOOR | 83.38 | S+19th Floor |
| 247 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1607 | 15th FLOOR | 83.38 | S+19th Floor |
| 248 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1608 | 15th FLOOR | 83.38 | S+19th Floor |
| 249 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1703 | 16th FLOOR | 83.38 | S+19th Floor |
| 250 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1704 | 16th FLOOR | 83.38 | S+19th Floor |
| 251 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1705 | 16th FLOOR | 83.38 | S+19th Floor |
| 252 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1706 | 16th FLOOR | 83.38 | S+19th Floor |
| 253 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1707 | 16th FLOOR | 83.38 | S+19th Floor |
| 254 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1708 | 16th FLOOR | 83.38 | S+19th Floor |
| 255 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1803 | 17th FLOOR | 83.38 | S+19th Floor |
| 256 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1804 | 17th FLOOR | 83.38 | S+19th Floor |
| 257 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1805 | 17th FLOOR | 83.38 | S+19th Floor |
| 258 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1806 | 17th FLOOR | 83.38 | S+19th Floor |
| 259 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1807 | 17th FLOOR | 83.38 | S+19th Floor |
| 260 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1808 | 17th FLOOR | 83.38 | S+19th Floor |
| 261 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1903 | 18th FLOOR | 83.38 | S+19th Floor |
| 262 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1904 | 18th FLOOR | 83.38 | S+19th Floor |
| 263 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1905 | 18th FLOOR | 83.38 | S+19th Floor |
| 264 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1906 | 18th FLOOR | 83.38 | S+19th Floor |
| 265 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1907 | 18th FLOOR | 83.38 | S+19th Floor |
| 266 | BHS17/LOF02 | GH-03A | OMICRON-01 | H | 1908 | 18th FLOOR | 83.38 | S+19th Floor |
| 267 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 101 | GROUND FLOOR | 83.38 | S+20th Floor |
| 268 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 102 | GROUND FLOOR | 83.38 | S+20th Floor |
| 269 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 103 | GROUND FLOOR | 83.38 | S+20th Floor |
| 270 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 104 | GROUND FLOOR | 83.38 | S+20th Floor |
| 271 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 105 | GROUND FLOOR | 83.38 | S+20th Floor |
| 272 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 106 | GROUND FLOOR | 83.38 | S+20th Floor |
| 273 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 107 | GROUND FLOOR | 83.38 | S+20th Floor |
| 274 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 108 | GROUND FLOOR | 83.38 | S+20th Floor |
| 275 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 201 | 1st FLOOR | 83.38 | S+20th Floor |
| 276 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 202 | 1st FLOOR | 83.38 | S+20th Floor |
| 277 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 203 | 1st FLOOR | 83.38 | S+20th Floor |
| 278 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 204 | 1st FLOOR | 83.38 | S+20th Floor |
| 279 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 205 | 1st FLOOR | 83.38 | S+20th Floor |
| 280 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 206 | 1st FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 281 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 207 | 1st FLOOR | 83.38 | S+20th Floor |
| 282 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 208 | 1st FLOOR | 83.38 | S+20th Floor |
| 283 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 301 | 2nd FLOOR | 83.38 | S+20th Floor |
| 284 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 302 | 2nd FLOOR | 83.38 | S+20th Floor |
| 285 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 303 | 2nd FLOOR | 83.38 | S+20th Floor |
| 286 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 304 | 2nd FLOOR | 83.38 | S+20th Floor |
| 287 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 305 | 2nd FLOOR | 83.38 | S+20th Floor |
| 288 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 306 | 2nd FLOOR | 83.38 | S+20th Floor |
| 289 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 307 | 2nd FLOOR | 83.38 | S+20th Floor |
| 290 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 308 | 2nd FLOOR | 83.38 | S+20th Floor |
| 291 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 401 | 3rd FLOOR | 83.38 | S+20th Floor |
| 292 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 402 | 3rd FLOOR | 83.38 | S+20th Floor |
| 293 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 403 | 3rd FLOOR | 83.38 | S+20th Floor |
| 294 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 404 | 3rd FLOOR | 83.38 | S+20th Floor |
| 295 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 405 | 3rd FLOOR | 83.38 | S+20th Floor |
| 296 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 406 | 3rd FLOOR | 83.38 | S+20th Floor |
| 297 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 407 | 3rd FLOOR | 83.38 | S+20th Floor |
| 298 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 408 | 3rd FLOOR | 83.38 | S+20th Floor |
| 299 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 501 | 4th FLOOR | 83.38 | S+20th Floor |
| 300 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 502 | 4th FLOOR | 83.38 | S+20th Floor |
| 301 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 503 | 4th FLOOR | 83.38 | S+20th Floor |
| 302 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 504 | 4th FLOOR | 83.38 | S+20th Floor |
| 303 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 505 | 4th FLOOR | 83.38 | S+20th Floor |
| 304 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 506 | 4th FLOOR | 83.38 | S+20th Floor |
| 305 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 507 | 4th FLOOR | 83.38 | S+20th Floor |
| 306 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 508 | 4th FLOOR | 83.38 | S+20th Floor |
| 307 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 601 | 5th FLOOR | 83.38 | S+20th Floor |
| 308 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 602 | 5th FLOOR | 83.38 | S+20th Floor |
| 309 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 603 | 5th FLOOR | 83.38 | S+20th Floor |
| 310 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 604 | 5th FLOOR | 83.38 | S+20th Floor |
| 311 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 605 | 5th FLOOR | 83.38 | S+20th Floor |
| 312 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 606 | 5th FLOOR | 83.38 | S+20th Floor |
| 313 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 607 | 5th FLOOR | 83.38 | S+20th Floor |
| 314 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 608 | 5th FLOOR | 83.38 | S+20th Floor |
| 315 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 701 | 6th FLOOR | 83.38 | S+20th Floor |
| 316 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 702 | 6th FLOOR | 83.38 | S+20th Floor |
| 317 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 703 | 6th FLOOR | 83.38 | S+20th Floor |
| 318 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 704 | 6th FLOOR | 83.38 | S+20th Floor |
| 319 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 705 | 6th FLOOR | 83.38 | S+20th Floor |
| 320 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 706 | 6th FLOOR | 83.38 | S+20th Floor |
| 321 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 707 | 6th FLOOR | 83.38 | S+20th Floor |
| 322 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 708 | 6th FLOOR | 83.38 | S+20th Floor |
| 323 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 801 | 7th FLOOR | 83.38 | S+20th Floor |
| 324 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 802 | 7th FLOOR | 83.38 | S+20th Floor |
| 325 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 803 | 7th FLOOR | 83.38 | S+20th Floor |
| 326 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 804 | 7th FLOOR | 83.38 | S+20th Floor |
| 327 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 805 | 7th FLOOR | 83.38 | S+20th Floor |
| 328 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 806 | 7th FLOOR | 83.38 | S+20th Floor |
| 329 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 807 | 7th FLOOR | 83.38 | S+20th Floor |
| 330 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 808 | 7th FLOOR | 83.38 | S+20th Floor |
| 331 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 901 | 8th FLOOR | 83.38 | S+20th Floor |
| 332 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 902 | 8th FLOOR | 83.38 | S+20th Floor |
| 333 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 903 | 8th FLOOR | 83.38 | S+20th Floor |
| 334 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 904 | 8th FLOOR | 83.38 | S+20th Floor |
| 335 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 905 | 8th FLOOR | 83.38 | S+20th Floor |
| 336 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 906 | 8th FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 337 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 907 | 8th FLOOR | 83.38 | S+20th Floor |
| 338 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 908 | 8th FLOOR | 83.38 | S+20th Floor |
| 339 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1001 | 9th FLOOR | 83.38 | S+20th Floor |
| 340 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1002 | 9th FLOOR | 83.38 | S+20th Floor |
| 341 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1003 | 9th FLOOR | 83.38 | S+20th Floor |
| 342 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1004 | 9th FLOOR | 83.38 | S+20th Floor |
| 343 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1005 | 9th FLOOR | 83.38 | S+20th Floor |
| 344 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1006 | 9th FLOOR | 83.38 | S+20th Floor |
| 345 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1007 | 9th FLOOR | 83.38 | S+20th Floor |
| 346 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1008 | 9th FLOOR | 83.38 | S+20th Floor |
| 347 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1101 | 10th FLOOR | 83.38 | S+20th Floor |
| 348 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1102 | 10th FLOOR | 83.38 | S+20th Floor |
| 349 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1103 | 10th FLOOR | 83.38 | S+20th Floor |
| 350 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1104 | 10th FLOOR | 83.38 | S+20th Floor |
| 351 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1105 | 10th FLOOR | 83.38 | S+20th Floor |
| 352 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1106 | 10th FLOOR | 83.38 | S+20th Floor |
| 353 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1107 | 10th FLOOR | 83.38 | S+20th Floor |
| 354 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1108 | 10th FLOOR | 83.38 | S+20th Floor |
| 355 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1201 | 11th FLOOR | 83.38 | S+20th Floor |
| 356 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1202 | 11th FLOOR | 83.38 | S+20th Floor |
| 357 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1203 | 11th FLOOR | 83.38 | S+20th Floor |
| 358 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1204 | 11th FLOOR | 83.38 | S+20th Floor |
| 359 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1205 | 11th FLOOR | 83.38 | S+20th Floor |
| 360 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1206 | 11th FLOOR | 83.38 | S+20th Floor |
| 361 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1207 | 11th FLOOR | 83.38 | S+20th Floor |
| 362 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1208 | 11th FLOOR | 83.38 | S+20th Floor |
| 363 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1301 | 12th FLOOR | 83.38 | S+20th Floor |
| 364 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1302 | 12th FLOOR | 83.38 | S+20th Floor |
| 365 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1303 | 12th FLOOR | 83.38 | S+20th Floor |
| 366 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1304 | 12th FLOOR | 83.38 | S+20th Floor |
| 367 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1305 | 12th FLOOR | 83.38 | S+20th Floor |
| 368 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1306 | 12th FLOOR | 83.38 | S+20th Floor |
| 369 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1307 | 12th FLOOR | 83.38 | S+20th Floor |
| 370 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1308 | 12th FLOOR | 83.38 | S+20th Floor |
| 371 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1401 | 13th FLOOR | 83.38 | S+20th Floor |
| 372 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1402 | 13th FLOOR | 83.38 | S+20th Floor |
| 373 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1403 | 13th FLOOR | 83.38 | S+20th Floor |
| 374 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1404 | 13th FLOOR | 83.38 | S+20th Floor |
| 375 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1405 | 13th FLOOR | 83.38 | S+20th Floor |
| 376 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1406 | 13th FLOOR | 83.38 | S+20th Floor |
| 377 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1407 | 13th FLOOR | 83.38 | S+20th Floor |
| 378 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1408 | 13th FLOOR | 83.38 | S+20th Floor |
| 379 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1501 | 14th FLOOR | 83.38 | S+20th Floor |
| 380 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1502 | 14th FLOOR | 83.38 | S+20th Floor |
| 381 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1503 | 14th FLOOR | 83.38 | S+20th Floor |
| 382 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1504 | 14th FLOOR | 83.38 | S+20th Floor |
| 383 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1505 | 14th FLOOR | 83.38 | S+20th Floor |
| 384 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1506 | 14th FLOOR | 83.38 | S+20th Floor |
| 385 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1507 | 14th FLOOR | 83.38 | S+20th Floor |
| 386 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1508 | 14th FLOOR | 83.38 | S+20th Floor |
| 387 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1601 | 15th FLOOR | 83.38 | S+20th Floor |
| 388 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1602 | 15th FLOOR | 83.38 | S+20th Floor |
| 389 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1603 | 15th FLOOR | 83.38 | S+20th Floor |
| 390 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1604 | 15th FLOOR | 83.38 | S+20th Floor |
| 391 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1605 | 15th FLOOR | 83.38 | S+20th Floor |
| 392 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1606 | 15th FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|--------------|--------------------|--------------|
| 393 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1607 | 15th FLOOR | 83.38 | S+20th Floor |
| 394 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1608 | 15th FLOOR | 83.38 | S+20th Floor |
| 395 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1701 | 16th FLOOR | 83.38 | S+20th Floor |
| 396 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1702 | 16th FLOOR | 83.38 | S+20th Floor |
| 397 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1703 | 16th FLOOR | 83.38 | S+20th Floor |
| 398 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1704 | 16th FLOOR | 83.38 | S+20th Floor |
| 399 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1705 | 16th FLOOR | 83.38 | S+20th Floor |
| 400 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1706 | 16th FLOOR | 83.38 | S+20th Floor |
| 401 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1707 | 16th FLOOR | 83.38 | S+20th Floor |
| 402 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1708 | 16th FLOOR | 83.38 | S+20th Floor |
| 403 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1801 | 17th FLOOR | 83.38 | S+20th Floor |
| 404 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1802 | 17th FLOOR | 83.38 | S+20th Floor |
| 405 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1803 | 17th FLOOR | 83.38 | S+20th Floor |
| 406 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1804 | 17th FLOOR | 83.38 | S+20th Floor |
| 407 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1805 | 17th FLOOR | 83.38 | S+20th Floor |
| 408 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1806 | 17th FLOOR | 83.38 | S+20th Floor |
| 409 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1807 | 17th FLOOR | 83.38 | S+20th Floor |
| 410 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1808 | 17th FLOOR | 83.38 | S+20th Floor |
| 411 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1901 | 18th FLOOR | 83.38 | S+20th Floor |
| 412 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1902 | 18th FLOOR | 83.38 | S+20th Floor |
| 413 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1903 | 18th FLOOR | 83.38 | S+20th Floor |
| 414 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1904 | 18th FLOOR | 83.38 | S+20th Floor |
| 415 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1905 | 18th FLOOR | 83.38 | S+20th Floor |
| 416 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1906 | 18th FLOOR | 83.38 | S+20th Floor |
| 417 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1907 | 18th FLOOR | 83.38 | S+20th Floor |
| 418 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 1908 | 18th FLOOR | 83.38 | S+20th Floor |
| 419 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2001 | 18th FLOOR | 83.38 | S+20th Floor |
| 420 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2002 | 18th FLOOR | 83.38 | S+20th Floor |
| 421 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2003 | 18th FLOOR | 83.38 | S+20th Floor |
| 422 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2004 | 18th FLOOR | 83.38 | S+20th Floor |
| 423 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2005 | 18th FLOOR | 83.38 | S+20th Floor |
| 424 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2006 | 18th FLOOR | 83.38 | S+20th Floor |
| 425 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2007 | 18th FLOOR | 83.38 | S+20th Floor |
| 426 | BHS17/LOF02 | GH-03A | OMICRON-01 | E | 2008 | 18th FLOOR | 83.38 | S+20th Floor |
| 427 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 101 | GROUND FLOOR | 83.38 | S+20th Floor |
| 428 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 102 | GROUND FLOOR | 83.38 | S+20th Floor |
| 429 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 103 | GROUND FLOOR | 83.38 | S+20th Floor |
| 430 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 104 | GROUND FLOOR | 83.38 | S+20th Floor |
| 431 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 105 | GROUND FLOOR | 83.38 | S+20th Floor |
| 432 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 106 | GROUND FLOOR | 83.38 | S+20th Floor |
| 433 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 107 | GROUND FLOOR | 83.38 | S+20th Floor |
| 434 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 108 | GROUND FLOOR | 83.38 | S+20th Floor |
| 435 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 201 | 1st FLOOR | 83.38 | S+20th Floor |
| 436 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 202 | 1st FLOOR | 83.38 | S+20th Floor |
| 437 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 203 | 1st FLOOR | 83.38 | S+20th Floor |
| 438 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 204 | 1st FLOOR | 83.38 | S+20th Floor |
| 439 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 205 | 1st FLOOR | 83.38 | S+20th Floor |
| 440 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 206 | 1st FLOOR | 83.38 | S+20th Floor |
| 441 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 207 | 1st FLOOR | 83.38 | S+20th Floor |
| 442 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 208 | 1st FLOOR | 83.38 | S+20th Floor |
| 443 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 301 | 2nd FLOOR | 83.38 | S+20th Floor |
| 444 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 302 | 2nd FLOOR | 83.38 | S+20th Floor |
| 445 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 303 | 2nd FLOOR | 83.38 | S+20th Floor |
| 446 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 304 | 2nd FLOOR | 83.38 | S+20th Floor |
| 447 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 305 | 2nd FLOOR | 83.38 | S+20th Floor |
| 448 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 306 | 2nd FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 449 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 307 | 2nd FLOOR | 83.38 | S+20th Floor |
| 450 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 308 | 2nd FLOOR | 83.38 | S+20th Floor |
| 451 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 401 | 3rd FLOOR | 83.38 | S+20th Floor |
| 452 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 402 | 3rd FLOOR | 83.38 | S+20th Floor |
| 453 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 403 | 3rd FLOOR | 83.38 | S+20th Floor |
| 454 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 404 | 3rd FLOOR | 83.38 | S+20th Floor |
| 455 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 405 | 3rd FLOOR | 83.38 | S+20th Floor |
| 456 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 406 | 3rd FLOOR | 83.38 | S+20th Floor |
| 457 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 407 | 3rd FLOOR | 83.38 | S+20th Floor |
| 458 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 408 | 3rd FLOOR | 83.38 | S+20th Floor |
| 459 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 501 | 4th FLOOR | 83.38 | S+20th Floor |
| 460 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 502 | 4th FLOOR | 83.38 | S+20th Floor |
| 461 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 503 | 4th FLOOR | 83.38 | S+20th Floor |
| 462 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 504 | 4th FLOOR | 83.38 | S+20th Floor |
| 463 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 505 | 4th FLOOR | 83.38 | S+20th Floor |
| 464 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 506 | 4th FLOOR | 83.38 | S+20th Floor |
| 465 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 507 | 4th FLOOR | 83.38 | S+20th Floor |
| 466 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 508 | 4th FLOOR | 83.38 | S+20th Floor |
| 467 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 601 | 5th FLOOR | 83.38 | S+20th Floor |
| 468 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 602 | 5th FLOOR | 83.38 | S+20th Floor |
| 469 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 603 | 5th FLOOR | 83.38 | S+20th Floor |
| 470 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 604 | 5th FLOOR | 83.38 | S+20th Floor |
| 471 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 605 | 5th FLOOR | 83.38 | S+20th Floor |
| 472 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 606 | 5th FLOOR | 83.38 | S+20th Floor |
| 473 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 607 | 5th FLOOR | 83.38 | S+20th Floor |
| 474 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 608 | 5th FLOOR | 83.38 | S+20th Floor |
| 475 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 701 | 6th FLOOR | 83.38 | S+20th Floor |
| 476 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 702 | 6th FLOOR | 83.38 | S+20th Floor |
| 477 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 703 | 6th FLOOR | 83.38 | S+20th Floor |
| 478 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 704 | 6th FLOOR | 83.38 | S+20th Floor |
| 479 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 705 | 6th FLOOR | 83.38 | S+20th Floor |
| 480 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 706 | 6th FLOOR | 83.38 | S+20th Floor |
| 481 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 707 | 6th FLOOR | 83.38 | S+20th Floor |
| 482 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 708 | 6th FLOOR | 83.38 | S+20th Floor |
| 483 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 801 | 7th FLOOR | 83.38 | S+20th Floor |
| 484 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 802 | 7th FLOOR | 83.38 | S+20th Floor |
| 485 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 803 | 7th FLOOR | 83.38 | S+20th Floor |
| 486 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 804 | 7th FLOOR | 83.38 | S+20th Floor |
| 487 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 805 | 7th FLOOR | 83.38 | S+20th Floor |
| 488 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 806 | 7th FLOOR | 83.38 | S+20th Floor |
| 489 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 807 | 7th FLOOR | 83.38 | S+20th Floor |
| 490 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 808 | 7th FLOOR | 83.38 | S+20th Floor |
| 491 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 901 | 8th FLOOR | 83.38 | S+20th Floor |
| 492 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 902 | 8th FLOOR | 83.38 | S+20th Floor |
| 493 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 903 | 8th FLOOR | 83.38 | S+20th Floor |
| 494 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 904 | 8th FLOOR | 83.38 | S+20th Floor |
| 495 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 905 | 8th FLOOR | 83.38 | S+20th Floor |
| 496 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 906 | 8th FLOOR | 83.38 | S+20th Floor |
| 497 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 907 | 8th FLOOR | 83.38 | S+20th Floor |
| 498 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 908 | 8th FLOOR | 83.38 | S+20th Floor |
| 499 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1001 | 9th FLOOR | 83.38 | S+20th Floor |
| 500 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1002 | 9th FLOOR | 83.38 | S+20th Floor |
| 501 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1003 | 9th FLOOR | 83.38 | S+20th Floor |
| 502 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1004 | 9th FLOOR | 83.38 | S+20th Floor |
| 503 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1005 | 9th FLOOR | 83.38 | S+20th Floor |
| 504 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1006 | 9th FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 505 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1007 | 9th FLOOR | 83.38 | S+20th Floor |
| 506 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1008 | 9th FLOOR | 83.38 | S+20th Floor |
| 507 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1101 | 10th FLOOR | 83.38 | S+20th Floor |
| 508 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1102 | 10th FLOOR | 83.38 | S+20th Floor |
| 509 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1103 | 10th FLOOR | 83.38 | S+20th Floor |
| 510 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1104 | 10th FLOOR | 83.38 | S+20th Floor |
| 511 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1105 | 10th FLOOR | 83.38 | S+20th Floor |
| 512 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1106 | 10th FLOOR | 83.38 | S+20th Floor |
| 513 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1107 | 10th FLOOR | 83.38 | S+20th Floor |
| 514 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1108 | 10th FLOOR | 83.38 | S+20th Floor |
| 515 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1201 | 11th FLOOR | 83.38 | S+20th Floor |
| 516 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1202 | 11th FLOOR | 83.38 | S+20th Floor |
| 517 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1203 | 11th FLOOR | 83.38 | S+20th Floor |
| 518 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1204 | 11th FLOOR | 83.38 | S+20th Floor |
| 519 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1205 | 11th FLOOR | 83.38 | S+20th Floor |
| 520 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1206 | 11th FLOOR | 83.38 | S+20th Floor |
| 521 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1207 | 11th FLOOR | 83.38 | S+20th Floor |
| 522 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1208 | 11th FLOOR | 83.38 | S+20th Floor |
| 523 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1301 | 12th FLOOR | 83.38 | S+20th Floor |
| 524 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1302 | 12th FLOOR | 83.38 | S+20th Floor |
| 525 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1303 | 12th FLOOR | 83.38 | S+20th Floor |
| 526 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1304 | 12th FLOOR | 83.38 | S+20th Floor |
| 527 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1305 | 12th FLOOR | 83.38 | S+20th Floor |
| 528 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1306 | 12th FLOOR | 83.38 | S+20th Floor |
| 529 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1307 | 12th FLOOR | 83.38 | S+20th Floor |
| 530 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1308 | 12th FLOOR | 83.38 | S+20th Floor |
| 531 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1401 | 13th FLOOR | 83.38 | S+20th Floor |
| 532 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1402 | 13th FLOOR | 83.38 | S+20th Floor |
| 533 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1403 | 13th FLOOR | 83.38 | S+20th Floor |
| 534 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1404 | 13th FLOOR | 83.38 | S+20th Floor |
| 535 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1405 | 13th FLOOR | 83.38 | S+20th Floor |
| 536 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1406 | 13th FLOOR | 83.38 | S+20th Floor |
| 537 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1407 | 13th FLOOR | 83.38 | S+20th Floor |
| 538 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1408 | 13th FLOOR | 83.38 | S+20th Floor |
| 539 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1501 | 14th FLOOR | 83.38 | S+20th Floor |
| 540 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1502 | 14th FLOOR | 83.38 | S+20th Floor |
| 541 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1503 | 14th FLOOR | 83.38 | S+20th Floor |
| 542 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1504 | 14th FLOOR | 83.38 | S+20th Floor |
| 543 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1505 | 14th FLOOR | 83.38 | S+20th Floor |
| 544 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1506 | 14th FLOOR | 83.38 | S+20th Floor |
| 545 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1507 | 14th FLOOR | 83.38 | S+20th Floor |
| 546 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1508 | 14th FLOOR | 83.38 | S+20th Floor |
| 547 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1601 | 15th FLOOR | 83.38 | S+20th Floor |
| 548 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1602 | 15th FLOOR | 83.38 | S+20th Floor |
| 549 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1603 | 15th FLOOR | 83.38 | S+20th Floor |
| 550 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1604 | 15th FLOOR | 83.38 | S+20th Floor |
| 551 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1605 | 15th FLOOR | 83.38 | S+20th Floor |
| 552 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1606 | 15th FLOOR | 83.38 | S+20th Floor |
| 553 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1607 | 15th FLOOR | 83.38 | S+20th Floor |
| 554 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1608 | 15th FLOOR | 83.38 | S+20th Floor |
| 555 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1701 | 16th FLOOR | 83.38 | S+20th Floor |
| 556 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1702 | 16th FLOOR | 83.38 | S+20th Floor |
| 557 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1703 | 16th FLOOR | 83.38 | S+20th Floor |
| 558 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1704 | 16th FLOOR | 83.38 | S+20th Floor |
| 559 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1705 | 16th FLOOR | 83.38 | S+20th Floor |
| 560 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1706 | 16th FLOOR | 83.38 | S+20th Floor |

| Sno | Scheme Code | Name of Group Housing | Name of Sector | Block/ Tower | Flat No | Floor Type | Flat Size (in Sqm) | Type |
|-----|-------------|-----------------------|----------------|--------------|---------|------------|--------------------|--------------|
| 561 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1707 | 16th FLOOR | 83.38 | S+20th Floor |
| 562 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1708 | 16th FLOOR | 83.38 | S+20th Floor |
| 563 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1801 | 17th FLOOR | 83.38 | S+20th Floor |
| 564 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1802 | 17th FLOOR | 83.38 | S+20th Floor |
| 565 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1803 | 17th FLOOR | 83.38 | S+20th Floor |
| 566 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1804 | 17th FLOOR | 83.38 | S+20th Floor |
| 567 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1805 | 17th FLOOR | 83.38 | S+20th Floor |
| 568 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1806 | 17th FLOOR | 83.38 | S+20th Floor |
| 569 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1807 | 17th FLOOR | 83.38 | S+20th Floor |
| 570 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1808 | 17th FLOOR | 83.38 | S+20th Floor |
| 571 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1901 | 18th FLOOR | 83.38 | S+20th Floor |
| 572 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1902 | 18th FLOOR | 83.38 | S+20th Floor |
| 573 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1903 | 18th FLOOR | 83.38 | S+20th Floor |
| 574 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1904 | 18th FLOOR | 83.38 | S+20th Floor |
| 575 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1905 | 18th FLOOR | 83.38 | S+20th Floor |
| 576 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1906 | 18th FLOOR | 83.38 | S+20th Floor |
| 577 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1907 | 18th FLOOR | 83.38 | S+20th Floor |
| 578 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 1908 | 18th FLOOR | 83.38 | S+20th Floor |
| 579 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2001 | 18th FLOOR | 83.38 | S+20th Floor |
| 580 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2002 | 18th FLOOR | 83.38 | S+20th Floor |
| 581 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2003 | 18th FLOOR | 83.38 | S+20th Floor |
| 582 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2004 | 18th FLOOR | 83.38 | S+20th Floor |
| 583 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2005 | 18th FLOOR | 83.38 | S+20th Floor |
| 584 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2006 | 18th FLOOR | 83.38 | S+20th Floor |
| 585 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2007 | 18th FLOOR | 83.38 | S+20th Floor |
| 586 | BHS17/LOF02 | GH-03A | OMICRON-01 | F | 2008 | 18th FLOOR | 83.38 | S+20th Floor |